

City of **Fountain Valley**
Water Department

CITY OF FOUNTAIN VALLEY
A NICE PLACE TO LIVE



2014 Water Quality Report



Your 2014 Water Quality Report

Since 1990, California public water utilities have been providing an annual Water Quality Report to their customers. **This year's report covers calendar year 2013 drinking water quality testing and reporting.**

The City of Fountain Valley Water Department (City) vigilantly safeguards your water supply and, as in years past, the water delivered to your home meets or exceeds the quality standards required by federal and state regulatory agencies. The U.S. Environmental Protection Agency (USEPA) and the California Department of Public Health (CDPH) are the agencies responsible for establishing and enforcing drinking water quality standards.

Pursuant to the California Safe Drinking Water Act, the City monitors over 100 chemicals in your water supply. This report includes only the

chemicals actually detected in the water. In some cases, the City goes beyond what is required by testing for unregulated chemicals that may have known health risks but do not have drinking water standards. Unregulated chemical monitoring helps USEPA and CDPH determine where certain chemicals occur and whether new standards need to be established for those chemicals to protect public health.

Through drinking water quality testing programs carried out by OCWD for groundwater, MWDSC for treated surface water and the City for the water distribution system, your drinking water is constantly monitored from source to tap for constituents that are regulated and unregulated.

The State allows us to monitor for some constituents less than once per year because the concentrations of these constituents do not change frequently. Some of our data, though representative of current conditions, are more than one year old.

The Quality of Your Water is Our Primary Concern

Sources of Supply

The City's water supply is a blend of groundwater from six City wells and one imported water connection originating from Northern California and the Colorado River by the Municipal Water District of Orange County (MWDOC) via MWDSC. Groundwater comes from a natural underground aquifer that is replenished with water from the Santa Ana River, local rainfall, recycled Groundwater Replenishment System (GWRS) water, and imported water. The groundwater basin is 350 square miles and lies beneath north and central Orange County from Irvine to the Los Angeles County border and from Yorba Linda to the Pacific Ocean. More than 20 cities and retail water districts draw from the basin to provide water to homes and businesses.

Orange County's Water Future

For years, Orange County has enjoyed an abundant, seemingly endless supply of high-quality water. However, as water demand continues to increase statewide, we must be even more conscientious about our water supply and maximize the efficient use of this precious natural resource.

OCWD and MWDOC work cooperatively to evaluate new and innovative water management and supply development programs, including water reuse and recycling, wetlands expansion, recharge facility construction, ocean and brackish water desalination, surface storage and water use efficiency programs. These efforts are helping to enhance long-term countywide water reliability and water quality.

A healthy water future for Orange County rests on finding and developing new water supplies, as well as protecting and improving the quality of the water that we have today. Your local and regional water agencies are committed to making the necessary investments today in new water management projects to ensure an abundant and high-quality water supply for our future.

Basic Information About Drinking Water Constituents

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of land or through the layers of the ground it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animal and human activity.

Constituents that may be present in source water include:

- **Microbial constituents**, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- **Inorganic constituents**, such as salts and metals, which can be naturally occurring or result from urban storm runoff, industrial or domestic wastewater discharges, oil and gas production, mining and farming.
- **Radioactive constituents**, which can be naturally occurring or be the result of oil and gas production or mining activities.
- **Pesticides and herbicides**, which may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.
- **Organic chemical constituents**, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gasoline stations, urban stormwater runoff, agricultural application and septic systems.

In order to ensure that tap water is safe to drink, USEPA and CDPH prescribe regulations that limit the amount of certain constituents in water provided by public water systems. CDPH regulations also establish limits for constituents in bottled water that must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some constituents. The presence of constituents does not necessarily indicate that water poses a health risk. More information about constituents and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at (800) 426-4791.



Conservation Tips for Inside Your Home



Wash only full loads
of laundry and dishes
Saves up to 50 gallons per week

Fix household leaks promptly
Saves up to 20 gallons per day

Spend only 5 minutes
in the shower
Saves up to 8 gallons each time

Turn off the water
while you brush your teeth
Saves up to 2.5 gallons per minute



Buy water-saving devices like high-efficiency toilets and clothes washers. You'll save many gallons of water per day, and many of them are eligible for rebates. To learn more, check on www.bewaterwise.com.

Talk to your family and friends about saving water. If everyone does a little, we all benefit a lot.

Questions about your water? Contact us for answers.

For information or concerns about this report, or your water quality in general, please contact Jason Shim, Water Quality Technician, at (714) 593-4624, or send e-mail to jason.shim@fountainvalley.org. You may also address your concerns at the regularly scheduled City Council Meetings held at City Hall at 10200 Slater Avenue in Fountain Valley on the first and third Tuesdays of each month at 6:00 pm in the City Hall Council Chambers. Please feel free to participate in these meetings. The City firmly believes in the public's right to know as much as possible about the quality of their drinking water and the health of their watershed. Your input and concerns are very important to us.

For more information about the health effects of the listed constituents in the following tables, call the USEPA hotline at (800) 426-4791.

Important Information the EPA Would Like You to Know

Issues in Water Quality that Could Affect Your Health

Cryptosporidium

Cryptosporidium is a microscopic organism that, when ingested, can cause diarrhea, fever, and other gastrointestinal symptoms. The organism comes from animal and/or human wastes and may be in surface water. MWDSC tested their source water and treated surface water for *Cryptosporidium* in 2013 and did not detect it. If it ever is detected, *Cryptosporidium* is eliminated by an effective treatment combination including sedimentation, filtration and disinfection.

The USEPA and the federal Centers for Disease Control guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from USEPA's Safe Drinking Water Hotline at (800) 426-4791 between 10 a.m. and 4 p.m. Eastern Time (7 a.m. to 1 p.m. in California).

Chloramines

The City imports water from MWDSC which produces water using chloramines, a combination of chlorine and ammonia, as its drinking water disinfectant. Chloramines are effective killers of bacteria and other microorganisms

that may cause disease. Chloramines form fewer disinfection by-products and have no odor when used properly. People who use kidney dialysis machines may want to take special precautions and consult their physician for the appropriate type of water treatment. Customers who maintain fish ponds, tanks or aquaria should also make necessary adjustments in water quality treatment, as these disinfectants are toxic to fish. For further



information or if you have any questions about chloramines please call (714) 593-4624 or visit www.fountainvalley.org.

About Lead in Tap Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing.

The City is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When

2013 City of Fountain Valley Drinking Water Quality Local Groundwater and Metropolitan Water District Treated Surface Water

Chemical	MCL	PHG (MCLG)	Avg. Groundwater Amount	Avg. Imported MWD Amount	Range of Detections	MCL Violation?	Typical Source of Contaminant
Radiologicals – Tested in 2011 and 2013							
Alpha Radiation (pCi/L)	15	(0)	ND	3	ND – 3	No	Erosion of Natural Deposits
Beta Radiation (pCi/L)	50	(0)	ND	ND	ND – 4.6	No	Decay of Man-made or Natural Deposits
Uranium (pCi/L)	20	0.43	5	2	2 – 10	No	Erosion of Natural Deposits
Combined Radium (pCi/L)	5	(0)	ND	ND	ND – 1.3	No	Erosion of Natural Deposits
Inorganic Chemicals – Tested in 2013							
Aluminum (ppm)	1	0.6	ND	0.16	ND – 0.23	No	Treatment Process Residue, Natural Deposits
Arsenic (ppb)	10	0.004	ND	2	ND – 2	No	Erosion of Natural Deposits
Fluoride (ppm) naturally-occurring	2	1	0.36	NR	0.28 – 0.44	No	Erosion of Natural Deposits
Fluoride (ppm) treatment-related	Control Range 0.7 – 1.3 ppm Optimal Level 0.8 ppm		See Footnote 1	0.8	0.7 – 1	No	Water Additive for Dental Health
Nitrate as NO ₃ (ppm)	45	45	5.5	1.8	1.8 – 9.1	No	Agriculture Runoff and Sewage
Nitrate and Nitrite as N (ppm)	10	10	1.3	0.4	0.59 – 2.1	No	Agriculture runoff and sewage
Secondary Standards* – Tested in 2013							
Aluminum (ppb)	200*	600	ND	160	ND – 230	No	Treatment Process Residue, Natural Deposits
Chloride (ppm)	500*	n/a	46	86	26 – 87	No	Runoff or Leaching from Natural Deposits
Color (color units)	15*	n/a	0.13	1	ND – 3	No	Runoff or Leaching from Natural Deposits
Copper (ppm)	1*	n/a	ND	ND	ND – 0.16	No	Erosion of Natural Deposits
Odor (odor units)	3*	n/a	ND	3	ND – 3	No	Naturally-occurring Organic Materials
Specific Conductance (µmho/cm)	1,600*	n/a	680	890	540 – 940	No	Substances that form ions in water
Sulfate (ppm)	500*	n/a	97	190	60 – 200	No	Runoff or Leaching from Natural Deposits
Total Dissolved Solids (ppm)	1,000*	n/a	420	540	320 – 650	No	Runoff or Leaching from Natural Deposits
Unregulated Chemicals – Tested in 2013							
Alkalinity, total as CaCO ₃ (ppm)	Not Regulated	n/a	190	110	93 – 220	n/a	Runoff or Leaching from Natural Deposits
Boron (ppm)	NL = 1	n/a	ND	0.14	ND – 0.14	n/a	Runoff or Leaching from Natural Deposits
Calcium (ppm)	Not Regulated	n/a	78	60	55 – 120	n/a	Runoff or Leaching from Natural Deposits
Hardness, total as CaCO ₃ (ppm)	Not Regulated	n/a	250	250	180 – 400	n/a	Runoff or Leaching from Natural Deposits
Hardness, total (grains/gal)	Not Regulated	n/a	15	15	11 – 23	n/a	Runoff or Leaching from Natural Deposits
Magnesium (ppm)	Not Regulated	n/a	14	22	10 – 23	n/a	Runoff or Leaching from Natural Deposits
pH (pH units)	Not Regulated	n/a	7.9	8.1	7.8 – 8.1	n/a	Hydrogen Ion Concentration
Potassium (ppm)	Not Regulated	n/a	2.6	4.2	1.6 – 4.4	n/a	Runoff or Leaching from Natural Deposits
Sodium (ppm)	Not Regulated	n/a	42	84	34 – 87	n/a	Runoff or Leaching from Natural Deposits
Total Organic Carbon (ppm)	Not Regulated	TT	ND	2.5	ND – 2.7	n/a	Various Natural and Man-made Sources

ppb = parts-per-billion; ppm = parts-per-million; ppt = parts-per-trillion; pCi/L = picoCuries per liter; NTU = nephelometric turbidity units; µmho/cm = micromhos per centimeter; NR = not required to be tested; ND = not detected; NL = Notification Level; < = average is less than the detection limit for reporting purposes; MCL = Maximum Contaminant Level; (MCLG) = federal MCL Goal; PHG = California Public Health Goal; n/a = not applicable; TT = treatment technique *Contaminant is regulated by a secondary standard.

(1) The Fountain Valley water system treats your water by adding fluoride to the naturally occurring level in order to help prevent dental caries in consumers. The fluoride levels in the treated water are maintained by the City within a range of 0.8 ppm to 1.0 ppm as required by the California Department of Public Health regulations.

Turbidity – combined filter effluent Metropolitan Water District Diemer Filtration Plant	Treatment Technique	Turbidity Measurements	TT Violation?	Typical Source of Contaminant
1) Highest single turbidity measurement	0.3 NTU	0.06	No	Soil Runoff
2) Percentage of samples less than 0.3 NTU	95%	100%	No	Soil Runoff

Turbidity is a measure of the cloudiness of the water, an indication of particulate matter, some of which might include harmful microorganisms. Low turbidity in Metropolitan's treated water is a good indicator of effective filtration. Filtration is called a "treatment technique" (TT).

A treatment technique is a required process intended to reduce the level of contaminants in drinking water that are difficult and sometimes impossible to measure directly.

Unregulated Chemicals Requiring Monitoring

Chemical	Notification Level	PHG	Average Groundwater	Average Imported MWD Water	Range of Detections	Most Recent Sampling
1,4-Dioxane (ppb)	1	n/a	1.9	ND	ND – 4.1	2013
Chlorate (ppb)	800	n/a	16	53	ND – 95	2013
Chromium, Hexavalent (ppb)	n/a	0.02	1.2	0.07	0.03 – 2.8	2013
Chromium, Total (ppb)	n/a	n/a	0.93	ND	ND – 2.4	2013
Molybdenum, Total (ppb)	n/a	n/a	4.4	4.7	3.1 – 5.9	2013
Strontium, Total (ppb)	n/a	n/a	660	930	490 – 1,100	2013
Vanadium, Total (ppb)	50	n/a	3.2	2.8	2.3 – 3.5	2013

What are Water Quality Standards?

Drinking water standards established by USEPA and CDPH set limits for substances that may affect consumer health or aesthetic qualities of drinking water. The chart in this report shows the following types of water quality standards:

- **Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible.
- **Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- **Secondary MCLs:** Set to protect the odor, taste, and appearance of drinking water.
- **Primary Drinking Water Standard:** MCLs for contaminants that affect health along with their monitoring and reporting requirements and water treatment requirements.
- **Regulatory Action Level (AL):** The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.

How are Contaminants Measured?

Water is sampled and tested throughout the year. Contaminants are measured in:

- parts per million (ppm) or milligrams per liter (mg/L)
- parts per billion (ppb) or micrograms per liter (µg/L)
- parts per trillion (ppt) or nanograms per liter (ng/L)

What is a Water Quality Goal?

In addition to mandatory water quality standards, USEPA and CDPH have set voluntary water quality goals for some contaminants. Water quality goals are often set at such low levels that they are not achievable in practice and are not directly measurable. Nevertheless, these goals provide useful guideposts and direction for water management practices. The chart in this report includes three types of water quality goals:

- **Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by USEPA.
- **Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- **Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking.

If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.

Immuno-Compromised People

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised people, such as those with cancer who are undergoing chemotherapy, persons who have had organ transplants, people with HIV/AIDS or other immune system disorders, some elderly persons and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers.

Drinking Water Fluoridation

Fluoride occurs naturally in the City's water supplies. In addition to the natural levels, the City's

water system adds a small concentration of sodium fluoride to the water to promote dental benefits per a majority vote of the community during the early 1970s. Fluoridating the water especially helps to prevent tooth decay in children. Because of the dramatic health benefits of fluoridating drinking water, a 1997 assembly bill of the state of California has mandated all large system water suppliers to begin fluoridating their systems. In 2007 MWDSC began fluoridation of their water supply. The City's water is fluoridated to the CDPH optimal range between 0.7 to 1.3 parts per million.

Conservation Tips for Outside Your Home

Water your lawn 1 to 2 days a week instead of 5 days a week
Saves up to 840 gallons per week

Check your sprinkler system for leaks, overspray and broken sprinkler heads and repair promptly
Saves up to 500 gallons per month

Install a smart sprinkler controller that adjusts watering based on weather, soil type, amount of shade and plant type
Saves up to 40 gallons per day

Use a broom instead of a hose to clean driveways and sidewalks
Saves up to 150 gallons each time

Water your plants in the early morning or evening to reduce evaporation and ineffective watering due to wind
Saves up to 25 gallons each time

Additional water saving steps and devices are also available, and some of these are eligible for substantial rebates. Consider replacing your lawn with drought tolerant plants, synthetic turf, or permeable hardscape. Or add rotating sprinkler nozzles, a weather-based controller, or a drip line to enhance your automated irrigation system. And mulch. Hundreds of gallons a year can be saved by simply using organic mulch around plants to reduce evaporation.

Further conservation ideas, and complete rebate information, are available on the web at www.bewaterwise.com.

There are many places to go for additional information about the fluoridation of drinking water.

U.S. Centers for Disease Control and Prevention:
1-800-232-4636 • www.cdc.gov/fluoridation/

California Department of Public Health:
www.cdph.ca.gov/certlic/drinkingwater/Pages/Fluoridation.aspx

American Water Works Association: www.awwa.org

For more information about MWDSC's fluoridation program, please contact Edgar G. Dymally at (213) 217-5709 or at edymally@mwdh2o.com.



Source Water Assessments Imported (MWDSC) Water Assessment

Every five years, MWDSC is required by CDPH to examine possible sources of drinking water contamination in its State Water Project and Colorado River source waters.

In 2012, MWDSC submitted to CDPH its updated Watershed Sanitary Surveys for the Colorado River and State Water Project, which include suggestions for how to better protect these source waters. Both source waters are exposed to stormwater runoff, recreational activities, wastewater discharges, wildlife, fires, and other watershed-related factors that could affect water quality.

Water from the Colorado River is considered to be most vulnerable to contamination from recreation, urban/ stormwater runoff, increasing urbanization in the watershed, and wastewater. Water supplies from Northern California's State Water Project are most vulnerable to contamination from urban/stormwater runoff, wildlife, agriculture, recreation, and wastewater.

USEPA also requires MWDSC to complete one Source Water Assessment (SWA) that utilizes information collected in the watershed sanitary surveys. MWDSC completed its SWA in December 2002. The SWA is used to evaluate the vulnerability of water sources to contamination and helps determine whether more protective measures are needed.

A copy of the most recent summary of either Watershed Sanitary Survey or the SWA can be obtained by calling MWDSC at (213) 217-6850.

Groundwater Assessment

An assessment of the drinking water sources for the City was completed in February 2003. The groundwater sources are considered most vulnerable to the following activities not associated with detected contaminants: dry cleaners, gas stations, historic gas stations, NPDES/WDR permitted discharges, and sewer collection systems.

A copy of the complete assessment is available at Department of Public Health Office of Drinking Water, Santa Ana District, 28 Civic Center Plaza, Room 325, Santa Ana, California 92701.

Want Additional Information?

There's a wealth of information on the internet about Drinking Water Quality and water issues in general.

A good place to begin your own research is the City of Fountain Valley website:
www.FountainValley.org.

In addition to extensive information about your local water and the support and services we offer, you'll find links for many other local, statewide, and national resources.

2013 City of Fountain Valley Distribution System Water Quality

Disinfection Byproducts	MCL (MRDL/MRDLG)	Average Amount	Range of Detections	MCL Violation?	Typical Source of Contaminant
Total Trihalomethanes (ppb)	80	50	ND – 56	No	Byproducts of chlorine disinfection
Haloacetic Acids (ppb)	60	17	ND – 21	No	Byproducts of chlorine disinfection
Chlorine Residual (ppm)	(4 / 4)	0.85	ND – 2.9	No	Disinfectant added for treatment
Aesthetic Quality					
Odor (threshold odor number)	3*	1	1	No	Erosion of natural deposits
Turbidity (NTU)	5*	0.13	ND – 2.6	No	Erosion of natural deposits

Eight locations in the distribution system are tested quarterly for total trihalomethanes and haloacetic acids; thirty are tested monthly for color, odor and turbidity. Color was not detected in 2013.
MRDL = Maximum Residual Disinfectant Level; **MRDLG** = Maximum Residual Disinfectant Level Goal; **NTU** = nephelometric turbidity units; **ND** = not detected
*Contaminant is regulated by a secondary standard to maintain aesthetic qualities (taste, odor, color).

Bacterial Quality	MCL	MCLG	Highest Monthly Positive Samples	MCL Violation?	Typical Source of Contaminant
Total Coliform Bacteria	5%	0	3.0%	No	Naturally present in the environment

No more than 5% of the monthly samples may be positive for total coliform bacteria.
The occurrence of 2 consecutive total coliform positive samples, one of which contains fecal coliform/E. coli, constitutes an acute MCL violation.

Lead and Copper Action Levels at Residential Taps


	Action Level (AL)	Health Goal	90 th Percentile Value	Sites Exceeding AL / Number of Sites	AL Violation?	Typical Source of Contaminant
Copper (ppm)	1.3	0.3	ND	0 / 32	No	Corrosion of household plumbing
Lead (ppb)	15	0.2	0.14	0 / 32	No	Corrosion of household plumbing

For the sampling event, 32 residences were tested for lead and copper at-the-tap. The most recent set of samples was collected in August 2012.
Lead was detected in one home, but did not exceed the Action Level (AL). Copper was detected in 19 samples, none of which exceeded the AL.
A regulatory AL is the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Unregulated Chemicals Requiring Monitoring

Chemical	Notification Level	PHG	Average Amount	Range of Detections	Most Recent Sampling Dates
Chlorate (ppb)	800	n/a	39	ND – 57	2013
Chromium, Hexavalent (ppb)	n/a	0.02	0.19	0.04 – 0.6	2013
Chromium, Total (ppb)	n/a	n/a	0.065	ND – 0.5	2013
Molybdenum, Total (ppb)	n/a	n/a	4.2	3.6 – 4.6	2013
Strontium, Total (ppb)	n/a	n/a	890	740 – 1,100	2013
Vanadium, Total (ppb)	50	n/a	2.9	2.6 – 3.4	2013

Drought Devastated Lake Oroville (January, 2014)



Lake Oroville (2011)

Lake Oroville, a key reservoir in the State Water Project system, and a major source of water for southern California, shows the effects of the drought.

It's official: California is in a drought.

2013 was the driest year on record, and as dry conditions continue, some regions throughout the state are being severely impacted.

On January 17, 2014, Governor Brown declared a drought emergency and asked that all Californians voluntarily reduce their water use by 20%. While there is no immediate danger of water supply interruptions here in Orange County, we must use our water supplies as efficiently as possible because we don't know how long the drought will last.

Southern California is well-prepared and in better shape than many of those in other parts of the state because we made investments for dry periods like this. Over the past 20 years, we have invested more than \$15 billion in water storage and infrastructure improvements that will help sustain us now, and will help ensure reliability in the future. The drought is a serious reminder that we must continue to invest in water infrastructure and reliability projects.



City of Fountain Valley

Field Services ~ Water Department

17300 Mt. Herrmann Street

Fountain Valley, California 92708

PRESORT STD

U.S. Postage

PAID

Santa Ana, CA

Permit No. 1

CRRT SORT

POSTAL CUSTOMER



**This report contains
important information about
your drinking water.**

**Translate it, or speak with
someone who understands it.**

Este informe contiene
información importante
sobre su agua potable.
Traducir, o hable con
alguien que entiende.

Bản báo cáo có ghi những chi
tiết quan trọng về phẩm chất
nước trong cộng đồng quý vị.
Hãy nhờ người thông dịch, hoặc
hỏi một người bạn biết rõ về vấn
đề này.

يحتوي هذا التقرير على معلومات
هامة عن نوعية ماء الشرب في
منطقتك. يرجى ترجمته، أو ابحث
التقرير مع صديق لك يفهم هذه
المعلومات جيداً.

这份报告中有些重要的信息，
讲到关于您所在社区的水的品
质。请您找人翻译一下，或者
请能看得懂这份报告的朋友给
您解释一下。

Mahalaga ang
impormasyong ito.
Mangyaring
ipasalin ito.

この資料には、あなたの飲料水
についての大切な情報が書かれ
ています。内容をよく理解する
ために、日本語に翻訳して読む
か説明を受けてください。